



10+00 11+00 11+84

Match Grade at El. 67; 5% slope from Bridge

Alternate Bridge Crossing Location

Obtain Approximate 250' x 900' parcel

Match Grade at El. 60; 7.5% Slope from Bridge

300 foot Switch back at 6% slope

Bridge over Piscataqua Required

12" WIDEN GRASSY PATH FOR ORGANIC ACCESS PATH TO BE OPEN GRASSY UPON COMPLETION

12" WIDEN GRASSY PLEASANTHUM PATH

12" WIDEN GRASSY PLEASANTHUM PATH

PROVIDE AND STAKE BRIDGES TO STABILIZE THE WOODS TO BE STABILIZED WITH BRIDGE

12" WIDEN GRASSY PLEASANTHUM PATH

12" WIDEN GRASSY PLEASANTHUM PATH

12" WIDEN GRASSY PLEASANTHUM PATH

LEGEND:
- PROPOSED GRADE IN STUDY
- EXISTING GRADE

FALMOUTH COMMUNITY PARK

FALMOUTH SCHOOLS CAMPUS

PT LOT 304
RESERVATION TRUST

WAS PT LOT 55
PT LOT 55
PT LOT 55

PISCATAQUA RIVER

6+00

7+00

8+00

9+00

9+71