

VEHICLE SPECIFICATIONS BELOW

YEAR:	2017/2018
APPLICATION:	Single Axle 4X4 Dump Truck with Sander and Plow Gear
MISSION:	GVWR: 19,500 Landscaping Dump Body 4.88 Limited Slip Rear Axle
ENGINE:	Diesel V-8 Turbo Emissions 2017 or Better Urea System with Min. 7 Gallon Tank Block heater , Engine 120 volt/1500 watt
FUEL:	Fuel/Water Separator with Heater Largest Single Tank offered
TRANSMISSION:	6- Speed Automatic Transmission with External Filter Selectable tow/haul switch PTO Provision Heavy Duty Transmission Cooler
AXLES and FRAME:	Heaviest Front Axle and Suspension Available Heaviest Rear Axle and Suspension Available Heaviest Frame Available Heavy Duty Shocks Timbren SES Suspension upgrade Front and Rear Axle
CAB:	Extended Cab Cab Trim Premium Steering Wheel Tilt Telescoping/Folding Mirrors With Heated Glass Interior Gray Exterior Red Power Equipment Group Package Air Conditioner With Integral Heater & Defroster HVAC System with cab filter Running Board

FRONT BRAKES /	Standard for Weight of Axles
REAR BRAKES:	Electric Trailer Brake Control in Cab
TIRES:	LT225/70R19.5 Max Traction Tires Spare Rim and Tire with Jack Polished Aluminum Wheel
ELECTRICAL SYSTEM:	Circuit Breakers Manual-Reset Duel Extra Heavy Duty Alternators Electrical Trailer Brake Hook Up in rear of truck with Controller in cab 7 Pole Flat RV plug for Electric Brake Radio in Cab AM/FM with Weather Band and MP3 Hook-Up Dual Heavy Duty Battery System Backing Alarm Electrical 102 dBA Auxiliary Harness Front for Plow Lights with Switch Body Builder Switch Panel, or approved equal
PAINT:	RED
OTHER :	Fire Extinguisher Floor Mats Exterior Window Visors Triangle Kit Running Boards Shop Manuals: Electrical Engine, Electrical Parts Manuals: Engine and Cab
BODY/ SANDER :	Landscaping Dump Body Sander to be a Fisher Poly Caster 8' 2.5 cu yd Polyethylene With Work Light and Strobe Light Air/Road Temperature System Light Package System Led Self Contained Strobes Mounted in Headboard Frt and Sides and Rear also Lower Rear Visible when body is up Heavy Duty Pintle Plate with Square Receiver Cab Shield 24" overhang
HITCH / WING SYSTEM:	Hitch for Frt Tilting Design Hitch shall be removable Double acting Cylinders for Plow Lift Front Wing Post actuated by Cylinder, No Cables Rear of Wing also actuated by Cylinder Trip Block for Front of Wing All Hitch and Wing mounts gear shall be sandblasted, epoxy primed and painted Black

WING: 9' Wing with Cutting Edge
Wing punched 12" on center Top Punch
Carbide and cover plate
(2) Moldboard Shoes
1 Curb Shoe at Rear of Wing
Wing shall be sandblasted, epoxy primed and painted Orange

PLOW : Cutting Edge 10'
Trip Edge Reversing Poly Plow
Moldboard Height 42"
Plow shall be Punched 12" on Center Top Punch
Carbide and Cover Blades
(2) Moldboard Shoes
(2) Curb Shoes

QUESTIONNAIRE

Truck Make:		Model:	
Year :	Engine Make:	GVW:	Wheel Base: lbs.
Engine:	Diesel Engine (town runs B5)	Yes	No
	Block Heater (coolant)	Yes	No
	Federal Emissions 2014 or Better	Yes	No
	Electronic speed control governor	Yes	No
	Hand control electronic throttle on Steering Wheel	Yes	No
	E.G.R Exhaust System	Yes	No
	Urea System required	Yes	No
	Low coolant level indicator and audible	Yes	No
	Air inlet system for plowing snow	Yes	No
Fuel:	Largest Tank Available	Yes	No
	Fuel/Water separator with Heater	Yes	No
Transmission:	P.T.O Provision	Yes	No
	Sensor for oil level	Yes	No
	6 Speed with external filter	Yes	No
	Selectable tow/haul switch	Yes	No
	Heavy Duty Cooler	Yes	No
Cab:	Red Paint: multi layer urethane finish	Yes	No
	Door allowed a 60 degree opening	Yes	No
	Power Windows, door locks both sides	Yes	No
	Interior color Gray	Yes	No
	Exterior color Red	Yes	No
	Air Conditioner with Integral Heater and Defroster	Yes	No
	Seat Belts Orange in color	Yes	No
	Windshield Heated	Yes	No
	Cab Trim Premium	Yes	No
	Windshield Wipers Electric with Intermittent Feature	Yes	No
	Tilt and Telescoping Steering Wheel	Yes	No
	Heated mirrors breakaway type	Yes	No

Front and Rear Axle:	4x4 axle	Yes	No
	Hub Piloted wheels	Yes	No
	Timbren SES Suspension upgrade both axles	Yes	No
	Ratio of 4.88	Yes	No
	Limited slip	Yes	No
Brakes:	Front and Rear Dust Shields for Brake System	Yes	No
	Standard for axles	Yes	No
Electrical system:	12 Volt System	Yes	No
	Headlight Dimmer Switch integral with turn signal switch	Yes	No
	Circuit breakers manual reset(main panel)	Yes	No
	Starter Motor 12 volt, less Thermal Over-crank protection	Yes	No
	Dual Heavy Duty Alternators	Yes	No
	Chassis Wiring colored and numbered	Yes	No
	Body Builder Wiring	Yes	No
	Backing Alarm 102 dba	Yes	No
	Auxiliary Harness for front plow application	Yes	No
	Radio in cab am/FM with weather band and mp3 hook-up system	Yes	No
	Starter switch electric, key operated	Yes	No
	Electrical Trailer Brake hook up in rear of truck with RV plug	Yes	No
	Electrical trailer brake Controller in Cab	Yes	No
Tires:	LT 225/70R19.5 MAX Traction Tire		
	Spare Tire Mounted on Rim	Yes	No
	Hub Piloted rims	Yes	No
Exhaust System:	After treatment Device Tank Frame	Yes	No
	Mounted Outside Left Rail Behind Cab		
	Urea System	Yes	No
	Urea System Tank no more than 9.5 Gallons	Yes	No

Model:

Body Make:

Plow Gear and Body:	11' Poly reversible plow,42"	Yes	No
	11' Poly Wing, 24" nose has 30.50 discharge with Shelving Arm Rear Wing Post	Yes	No
	Sander Fisher Poly Caster 8' 2.5 cu yd with strobe light and work light	Yes	No
	Landscaping Style	Yes	No
	Front lift cylinder	Yes	No
	Shovel holder	Yes	No
	3-4 Cubic yards capacity	Yes	No
	Heavy duty plate pintle plate with Square Receiver	Yes	No
	Light System Package	Yes	No
	Town shall have the opportunity to inspect the assembly while In progress	Yes	No

Warranty:	Truck	Yes	No
	Body and Gear	Yes	No
	Body and Gear	Yes	No
	Electrical System Troubleshoot	Yes	No
Manuals Parts and shop:	Electrical Systems Circuit Diagrams	Yes	No

Specify
Warranties:

Days :

Delivery Time:
Terms: